

This appendix establishes modifications to the FERC approved NERC standard CIP-011-1 for its specific application in New Brunswick. This appendix must be read with CIP-011-1 to determine a full understanding of the requirements of the standard for New Brunswick. Where the standard and appendix differ, the appendix shall prevail.

The term “BES Cyber Asset” as used in this Appendix or CIP-011-1 means “BPS Cyber Asset” as defined in section G.

The term “BES Cyber System” as used in this Appendix or CIP-011-1 means “BPS Cyber System” as defined in section G.

The term “BES Cyber System Information” as used in this Appendix or CIP-011-1 means “BPS Cyber System Information” as defined in section G.

A. Introduction

- 1. Title:** Cyber Security – Information Protection
- 2. Number:** CIP-011-1
- 3. Purpose:** To prevent unauthorized access to BES Cyber System Information by specifying information protection requirements in support of protecting BES Cyber Systems against compromise that could lead to misoperation or instability in the bulk power system.
- 4. Applicability:**
 - 4.1. Functional Entities:** No New Brunswick modifications
 - 4.1.1** No New Brunswick modifications
 - 4.1.2 Distribution Provider** that owns one or more of the following Facilities, systems, and equipment for the protection or restoration of the bulk power system:
 - 4.1.2.1** No New Brunswick modifications
 - 4.1.2.1.1** is part of a Load shedding program that is subject to one or more requirements in a New

Brunswick Energy and Utilities
Board approved reliability
standard or Regional Reliability
Standard; and

4.1.2.1.2 No New Brunswick modifications

4.1.2.2 Each Special Protection System or Remedial Action Scheme where the Special Protection System or Remedial Action Scheme is subject to one or more requirements in a New Brunswick Energy and Utilities Board approved reliability standard or Regional Reliability Standard.

4.1.2.3 Each Protection System (excluding UFLS and UVLS) that applies to Transmission where the Protection System is subject to one or more requirements in a New Brunswick Energy and Utilities Board approved reliability standard or Regional Reliability Standard.

4.1.2.4 No New Brunswick modifications

4.1.3 No New Brunswick modifications

4.1.4 No New Brunswick modifications

4.1.5 No New Brunswick modifications

4.1.6 No New Brunswick modifications

4.1.7 No New Brunswick modifications

4.1.8 No New Brunswick modifications

4.2. Facilities: No New Brunswick modifications

4.2.1 Distribution Provider: One or more of the following Facilities, systems and equipment owned by the Distribution Provider for the protection or restoration of the bulk power system:

4.2.1.1 No New Brunswick modifications

4.2.1.1.1 is part of a Load shedding
program that is subject to one or
more requirements in a New

Brunswick Energy and Utilities
Board approved reliability
standard or Regional Reliability
Standard; and

4.2.1.1.2 No New Brunswick modifications

4.2.1.2 Each Special Protection System or Remedial Action Scheme where the Special Protection System or Remedial Action Scheme is subject to one or more requirements in a New Brunswick Energy and Utilities Board approved reliability standard or Regional Reliability Standard.

4.2.1.3 Each Protection System (excluding UFLS and UVLS) that applies to Transmission where the Protection System is subject to one or more requirements in a New Brunswick Energy and Utilities Board approved reliability standard or Regional Reliability Standard.

4.2.1.4 No New Brunswick modifications

4.2.2 Responsible Entities listed in 4.1 other than Distribution Providers: All bulk power system Facilities.

4.2.3 Exemptions: No New Brunswick modifications

4.2.3.1 No New Brunswick modifications

4.2.3.2 No New Brunswick modifications

4.2.3.3 No New Brunswick modifications

4.2.3.4 No New Brunswick modifications

4.2.3.5 No New Brunswick modifications

5. Effective Dates:

1. No New Brunswick modifications
2. No New Brunswick modifications

6. Background:

No New Brunswick modifications
No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

No New Brunswick modifications

Many references in the Applicability section use a threshold of 300 MW for UFLS and UVLS. This particular threshold of 300 MW for UVLS and UFLS was provided in Version 1 of the CIP Cyber Security Standards. The threshold remains at 300 MW since it is specifically addressing UVLS and UFLS, which are last ditch efforts to save the bulk power system. A review of UFLS tolerances defined within regional reliability standards for UFLS program requirements to date indicates that the historical value of 300 MW represents an adequate and reasonable threshold value for allowable UFLS operational tolerances.

“Applicable Systems” Columns in Tables:

No New Brunswick modifications

- No New Brunswick modifications
- No New Brunswick modifications
- No New Brunswick modifications
- No New Brunswick modifications
- No New Brunswick modifications

B. Requirements and Measures

R1. No New Brunswick modifications

M1. No New Brunswick modifications

CIP-011-1 Table R1 – Information Protection			
Part	Applicable Systems	Requirements	Measures
1.1	No New Brunswick modifications		
1.2			

NB Appendix
CIP-011-1-NB-0 - Cyber Security – Information Protection

R2. No New Brunswick modifications

M2. No New Brunswick modifications

CIP-011-1 Table R2 – BES Cyber Asset Reuse and Disposal			
Part	Applicable Systems	Requirements	Measures
2.1	No New Brunswick modifications		
2.2			

C. Compliance

1. Compliance Monitoring Process:

1.1. Compliance Enforcement Authority:

The New Brunswick Energy and Utilities Board shall serve as the Compliance Enforcement Authority ("CEA").

1.2. Evidence Retention:

No New Brunswick modifications

1.3. Compliance Monitoring and Assessment Processes:

No New Brunswick modifications

1.4. Additional Compliance Information:

No New Brunswick modifications

2. Table of Compliance Elements

R #	Time Horizon	VRF	Violation Severity Levels (CIP-011-1)			
			Lower VSL	Moderate VSL	High VSL	Severe VSL
R1	No New Brunswick modifications					
R2						

D. Regional Variances

No New Brunswick modifications

E. Interpretations

No New Brunswick modifications

F. Associated Documents

No New Brunswick modifications

G. New Brunswick Definitions

BPS Cyber Asset: A Cyber Asset that if rendered unavailable, degraded, or misused would, within 15 minutes of its required operation, misoperation, or non-operation, adversely impact one or more Facilities, systems, or equipment, which, if destroyed, degraded, or otherwise rendered unavailable when needed, would affect the reliable operation of the bulk power system. Redundancy of affected Facilities, systems, and equipment shall not be considered when determining adverse impact. Each BPS Cyber Asset is included in one or more BPS Cyber Systems. (A Cyber Asset is not a BPS Cyber Asset if, for 30 consecutive calendar days or less, it is directly connected to a network within an ESP, a Cyber Asset within an ESP, or to a

BPS Cyber Asset, and it is used for data transfer, vulnerability assessment, maintenance, or troubleshooting purposes.)

BPS Cyber System: One or more BPS Cyber Assets logically grouped by a responsible entity to perform one or more reliability tasks for a functional entity.

BPS Cyber Information: Information about the BPS Cyber System that could be used to gain unauthorized access or pose a security threat to the BPS Cyber System. BPS Cyber System Information does not include individual pieces of information that by themselves do not pose a threat or could not be used to allow unauthorized access to BPS Cyber Systems, such as, but not limited to, device names, individual IP addresses without context, ESP names, or policy statements. Examples of BPS Cyber System Information may include, but are not limited to, security procedures or security information about BPS Cyber Systems, Physical Access Control Systems, and Electronic Access Control or Monitoring Systems that is not publicly available and could be used to allow unauthorized access or unauthorized distribution; collections of network addresses; and network topology of the BPS Cyber System.

Guidelines and Technical Basis

Section 4 – Scope of Applicability of the CIP Cyber Security Standards

No New Brunswick modifications

Section “4.1. Functional Entities” is a list of functional entities to which the standard applies. If the entity is registered as one or more of the functional entities listed in Section 4.1, then the CIP Cyber Security Standards apply. Note that there is a qualification in Section 4.1 that restricts the applicability in the case of Distribution Providers to only those that own certain types of systems and equipment listed in 4.2. Furthermore,

No New Brunswick modifications

Requirement R1:

No New Brunswick modifications

Requirement R2:

No New Brunswick modifications

Rationale:

No New Brunswick modifications

Rationale for R1:

No New Brunswick modifications

Rationale for R2:

No New Brunswick modifications

Version History (maintained by NBEUB)

Version	NBEUB Approval Date	NB Appendix Effective Date	Change Tracking	Comments
0	06/25/14	07/01/16	1. Bulk Electric System(BES)replaced with “bulk power system” throughout	Approved Under NBEUB Matter 246

**NB Appendix
Guidelines and Technical Basis**

			2. Revised Section A to replace "NERC" with "New Brunswick Energy and Utilities Board approved reliability standard" 3. Revised Section C to clarify the NBEUB as the entity having the compliance enforcement authority for NB 4. Revised the Guidelines to remove reference to NERC for functional entities	